



# Wyndmaster 320

## Two Spindle Automatic Take-up System



### FEATURES

- Automatic Cut and Transfer
- Switch Selectable Overwind / Underwind Operation
- Non-Contact PC Loop Control
- Tangential Product Feeder
- Adjustable Tension Control
- Part Counter with Operator Alert System
- Programmable Operator Interface with Diagnostics
- Quick Release Reel Flanges
- Sample Strip with Programmable Cut Location
- Single Strip Operation
- Two Reel Capacity

### OPTIONS

- Operates with or without Paper Interleaf
- Dancer Loop Control
- High Speed / High Torque Motors
- Automatic Paper Stapler

The Wyndmaster 320 automatically transfers product from the full reel to the empty reel. The tangential feeder follows the reel fill diameter, carefully handling even the most delicate products. Designed for versatility, the Wyndmaster 320 offers fully programmable reel width changes and automatic changeover between underwind and overwind orientation.



Customized Products  
For Any Applications!

[jcrautomation.com](http://jcrautomation.com)

JCR Automation  
1426 Ryan Rd  
New Haven, IN 46774  
Phone: 260-493-6606





# Wyndmaster 320

## Specifications

### POWER REQUIREMENTS

120 VAC, single phase, 15A

### AIR SUPPLY

80 PSI

### MATERIAL WIDTH (MAX)

3 Inches (others available upon request)

### REEL DIAMETER (MAX)

36 Inches

### FEED RATE CAPABILITY

800 IPM without accumulator

### REEL CENTER CORE

5.0 inches to 8.0 inches  
(others available upon request)

### FEED DIRECTION

Left to right or right to left (must be specified).

### SPINDLE MOTOR

1/8 HP, 76 RPM, DC

### SPINDLE DIAMETER

0.75 inches  
(standard, others available upon request)



Customized Products  
For Any Applications!

[jcrautomation.com](http://jcrautomation.com)

JCR Automation  
1426 Ryan Rd  
New Haven, IN 46774  
Phone: 260-493-6606

